





- 9 $\sin \theta \vec{i} + r \cos \theta \vec{j}$
- 11 $\nabla z = \frac{1}{y} \cos\left(\frac{x}{y}\right) \vec{i} - \frac{x}{y^2} \cos\left(\frac{x}{y}\right) \vec{j}$
- 13 $\left(\frac{-12\beta}{(2\alpha - 3\beta)^2}\right) \vec{i} + \left(\frac{12\alpha}{(2\alpha - 3\beta)^2}\right) \vec{j}$
- 15 $60\vec{i} + 85\vec{j}$
- 17 $10\pi\vec{i} + 4\pi\vec{j}$
- 19 $(\pi/2)^{1/2} \vec{i}$
- 21 $\frac{1}{100}(2\vec{i} - 6\vec{j})$
- 23 $-46/5$
- 25 $22/5$
- 27 $84/5$
- 29 $(2x + 3e^y)dx + 3xe^y dy$
- 31 $(x + 1)ye^{xy} \vec{i} + xe^{xy} \vec{j}$
- 33 Negative
- 35 Positive
- 37 Positive
- 39 $-\vec{j}$
- 41 \vec{j}
- 43 $-\vec{i} - \vec{j}$
- 45 $\vec{i} - \vec{j}$
- 47 (a) (3.96838, 5.09487)
(b) 0.1052
(c) $1/(3\sqrt{10})$
- 49 4.4
- 51 (a) $-16\vec{i} + 12\vec{j}$
(b) $16\vec{i} - 12\vec{j}$
(c) $12\vec{i} + 16\vec{j}$; answers may vary
- 53 (a) -3.268
(b) -4.919
- 55 (a) Should be number
(b) 11/5
- 57 -0.5; better estimate is -1.35
- 59 -1.1; better estimate is -1.8
- 61 $4\vec{i} + 6\vec{j}$; $4(x - 2) + 6(y - 3) = 0$
- 63 $-4\vec{i} + \vec{j}$; $-4(x - 2) + (y - 3) = 0$
- 65 (a) Negative
(b) Negative
- 67 (a) Negative
(b) Positive
(c) Positive
(d) Negative
- 69 Yes
- 71 Yes
- 73 (a)



- (c) \vec{j}
- 75 (a) Circles centered at P
(b) away from P
(c) 1
- 77 $(3\sqrt{5} - 2\sqrt{2})\vec{i} + (4\sqrt{2} - 3\sqrt{5})\vec{j}$
- 79 $\frac{4\sqrt{2}}{6\vec{i} + 2\vec{j}}$
- 81 $5/\sqrt{2}$
- 83 (a) P, Q



- (c) $\|\text{grad } f\|$
 $f_u = \|\text{grad } f\| \cos \theta$
- 89 $f_u(0, 0)$ is scalar, not vector
- 91 Closer contours give longer gradients
- 93




- 95 False
- 97 False
- 99 True
- 101 False
- 103 True
- 105 True
- 107 True
- 109 True
- 111 False

Section 14.5

- 1 $2x\vec{i}$
- 3 $e^x e^y e^z (\vec{i} + \vec{j} + \vec{k})$
- 5 $\frac{-2xyz^2}{(1+x^2)^2} \vec{i} + \frac{z^2}{1+x^2} \vec{j} + \frac{2yz}{1+x^2} \vec{k}$
- 7 $(x\vec{i} + y\vec{j} + z\vec{k}) / \sqrt{x^2 + y^2 + z^2}$
- 9 $y\vec{i} + x\vec{j} + e^z \cos(e^z) \vec{k}$

- 11 $e^p \vec{i} + (1/q)\vec{j} + 2re^{r^2} \vec{k}$
- 13 $\vec{0}$
- 15 $6\vec{i} + 4\vec{j} - 4\vec{k}$
- 17 $-\pi\vec{i} - \pi\vec{k}$
- 19 $9/\sqrt{3}$
- 21 $-1/\sqrt{2}$
- 23 $-\sqrt{77/2}$
- 25 $-2\vec{i} - 2\vec{j} + 4\vec{k}$;
 $-2(x+1) - 2(y-1) + 4(z-2) = 0$
- 27 $2\vec{j} - 4\vec{k}$; $2(y-1) - 4(z-2) = 0$
- 29 $-2\vec{i} + \vec{k}$; $-2(x+1) + (z-2) = 0$
- 31 (a) 0
(b) $24/\sqrt{19}$
- 33 (a) $(2x - yz)\vec{i} + (2y - xz)\vec{j} - xy\vec{k}$
(b) $x + 4y + 6z = 20$
- 35 $z = 12 - 4x - 2y$
- 37 $6(x - 1) + 3(y - 2) + 2(z - 1) = 0$
- 39 $2x + 3y + 2z = 17$
- 41 $z = 2x + y + 3$
- 43 $x + 4y + 10z = 18$
- 45 (a) is (III); (b) is (I); (c) is (IV); (d) is (II)
- 47 $22/\sqrt{14}$
- 49 (a) Spheres centered at the origin
(b) $2x \sin(x^2 + y^2 + z^2)\vec{i} + 2y \sin(x^2 + y^2 + z^2)\vec{j} + 2z \sin(x^2 + y^2 + z^2)\vec{k}$
(c) $0, 180^\circ$
- 51 (a) $-\vec{j}$;
 $\frac{2}{3}\vec{i} - \frac{1}{3}\vec{j} + \frac{2}{3}\vec{k}$
(b) $y = 0$; $2x - y + 2z = 3$
(c) $x = y = 0$ and $z \neq 0$
- 53 (a) $1.2x + 1.6y + 6z = 8$
(b) Yes; $\pm(0.8, 0.6, 1)$
- 55 (a)



- (b) Valley
- 57 (a) $-4\vec{i} + 4\vec{j} + 2\vec{k}$
(b) $24 \text{ mg/cm}^3/\text{sec}$
- 59 $f_u_3 < f_u_2 < 0 < f_u_4 < f_u_1$
- 61 (a) Spheres centered at origin
(b) $(-2x\vec{i} - 2y\vec{j} - 2z\vec{k})e^{-(x^2+y^2+z^2)}$
(c) $-3\sqrt{2}e^{-1}$ degrees/sec
- 63 (a) is (V); (b) is (IV); (c) is (V)
- 71 $f_x(0, 0, 0)x + f_y(0, 0, 0)y + f_z(0, 0, 0)z = 0$
- 73 $f(x, y, z) = 2x + 3y + 4z + 100$
- 75 False
- 77 False
- 79 (a) $^\circ\text{C}$ per meter
(b) $^\circ\text{C}$ per second
(c) $^\circ\text{C}$ per second

Section 14.6